

Your Lighting Company

News 2020



COME AND VISIT OUR SHOWROOM
VISITE NUESTRO SHOWROOM





WE WILL BE DELIGHTED TO SHOW YOU ALL OUR PRODUCTS
ESTAREMOS ENCANTADOS DE MOSTRARLE TODOS NUESTROS PRODUCTOS



WALL LAMPS APLIQUES



CALMA pag. 21



DORIS pag. 16



FOSCA pag. 12-13



GINA pag. 19



HALO pag. 9



LUXUR pag. 15



MIRTA pag. 17



ORIS pag. 14



RINGO pag. 8



ROBIN pag. 11



SENDA pag. 20



SYLVANA pag. 18



VARALI pag. 10

BATHROOM LIGHTING ILUMINACIÓN BAÑO



ETHAN pag. 24



TAVI pag. 23



TESLA pag. 25

MIRROR LIGHTING ESPEJOS ILUMINADOS



CAIRO pag. 31



ONIX pag. 28-29



UPPER pag. 30

TECHNICAL LIGHTING ILUMINACIÓN TÉCNICA



GINA pag. 40-41



KENDRA pag. 48



LINUS pag. 50



MAKO pag. 49



MORGAN pag. 46



MORGAN pag. 47



RONIE pag. 51



SPECTRA pag. 53



TANGO pag. 52



ZOOM pag. 42-45

CEILING ITEMS PRODUCTOS DE TECHO



ALISO pag. 68-69



DILGA pag. 66-67



DILGA pag. 74-75



FARO pag. 83-84



GRACE pag. 70-73



IMAX pag. 78-79



ISIA pag. 58-65



KOE pag. 80-81



LISBOA pag. 76-77

PENDANTS, COLLECTIONS, TABLE & FLOOR LAMPS COLGANTES, COLECCIONES, SOBREMESAS & PIES



BORNEO pag. 107-108



CLIP pag. 106-108



CUSTO pag. 86-87



DAMA pag. 88-89



EKIL pag. 103



FLEXIA pag. 90



HALO pag. 92-95



INDA pag. 91



LIKE pag. 102



MARINA pag. 100-101



MAUI pag. 98-99



MIRTA pag. 96-97



PANAU pag. 104-105

OUTDOOR LIGHTING ILUMINACIÓN DE EXTERIOR



NEMO pag. 112



NORI pag. 110-111



NORI pag. 110-111

RINGO



BY NACHO TIMÓN


Metal/Acrylic-Metal/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>55 70 Ø 355</p>	○	LED	12,5W	808	>80	3000	A38130B	⊕	-	
	●	LED	12,5W	808	>80	3000	A381300	⊕	-	

○ Textured White - Blanco Texturado

● Technical Gold - Oro Técnico

HALO




BY NACHO TIMÓN

Metal/Glass -Metal/Cristal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	5W	370	>80	3000	A3815100	⊕	-	☐

● Technical gold - Oro técnico

VARALI



MULTI CONNECTION

Metal-Metal

300mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	9W	750	>80	3000	A381940N	⊕	-	
	●	LED	9W	750	>80	3000	A3819400	⊕	-	
450mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	16W	1300	>80	3000	A381970N	⊕	-	
	●	LED	16W	1300	>80	3000	A3819700	⊕	-	









● Textured black - NegroTexturado

● Technical Gold - Oro Técnico

ROBIN



Metal/Acrylic - Meta/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	10x2,1W	1625	>80	3000	A38140N		-	
	○	LED	10x2,1W	1625	>80	3000	A38140B		-	
	●	LED	10x2,1W	1625	>80	3000	A381400		-	

● Textured black - NegroTexturado




○ Textured White - BlancoTexturado

● Technical Gold - Oro Técnico









FOSCA



FOSCA



Metal/Acrylic - Meta/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	30W	1700	>80	3000	A38330N		-	
	○	LED	30W	1700	>80	3000	A38330B		-	
	●	LED	30W	1700	>80	3000	A38330O		-	

● Textured black - NegroTexturado

○ Textured White - BlancoTexturado

● Technical Gold - Oro Técnico

ORIS



Metal/Acrylic-Metal/Acrylic

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	23.5W	1200	>80	3000	A38390B		-	

○ Textured white - Blanco texturado

LUXUR



Metal/Acrylic-Metal/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	22.1W	1200	>80	3000	A38400B	⊕	-	☑

○ Textured white - Blanco texturado

DORIS



Metal/Glass-Metal/Cristal

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
		1xG9 LED	A382010		-	

● Antique gold/Opal - Oro viejo/Opal



MIRTA



Textil/Acrylic-Textil/Acrylic

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
 210 400	○	1xE27 LED	A30550B		-	
 230 400	●	1xE27 LED	A30550PI		-	

○ White - Blanco ● Stone - Piedra



Pag. 113



pag. 96-97

SYLVANA



Metal/Crista-Metal/Glass

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	5W	420	>80	3000	A38210B	⊕	-	☐

○ Textured white - Blanco texturado

⚡ USB output: DC 5V-MAX. 2A

GINA



Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xGU10 LED	A38741B		-	
	●	1xGU10 LED	A38741N		-	

○ Textured white - Blanco texturado

● Textured black - Negro texturado



SENDA



Metal-Metal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	3W	315	>80	3000	A38350N	⊕	-	
	○	LED	3W	315	>80	3000	A38350B	⊕	-	

● Textured black - NegroTexturado

○ Textured White - BlancoTexturado

⚡ USB output: DC 5V-MAX. 2A

CALMA



Metal-Metal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	3W+6W	315+630	>80	3000	A38360N	⊕	-	
	○	LED	3W+6W	315+630	>80	3000	A38360B	⊕	-	

● Textured black - NegroTexturado

○ Textured White - BlancoTexturado

🔌 USB output: DC 5V-MAX. 2A

TAVI



Metal/Methacrylate-Metal/Metacrilato

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	18W	1500	>80	3000	A385060C	□	44	□

● Chrome - Cromo

ETHAN



Metal/Methacrylate-Metal/Metacrilato

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	27W	2760	>80	3000	A377510C	□	44	□

● Opal/Chrome - Opal/Cromo

TESLA



Metal/Acrylic-Metal/Acrílico

350mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	13,6W	1100	>80	3000	A383410C	□	44	☐
545mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	22,6W	1850	>80	3000	A383420C	□	44	☐

● Opal/Chrome - Opal/Cromo



Your Lighting Company

LIGHTING MIRRORS
ESPEJOS ILUMINADOS

ONIX





ONIX



Onix 

MDF/Glass-MDF/Cristal
Black-Negro

Shape/Formato	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijación
	H1850x700x35	59W	3375	3000	A383110N	90	
				4000	A383111N		

UPPER



IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Shape/Formato	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
	H700x800x33	12W	871	3000	A1677610LB	90	
				4000	A1677611LB		
	H700x1100x33	18W	1261	3000	A1677620LB		
				4000	A1677621LB		

Customise it
Personalízalo
[see pag. 142-143]



ON-OFF

ON-OFF






CAIRO



Independent perimeter light
Luz perimetral independiente

Integrated magnifying mirror with light and independent touch switch.
Espejo de aumento integrado con iluminación y encendido táctil independiente.


IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Measures Medidas	W	Lum	Kelvin	COD.	CRI	Anti-vaho	Mirror+Light x5 Aumento+Luz x5	Multifunction Screen Pantalla multifunción	Fixing Fijaciones
 H1200x900x44	56W+10W	4050+540	3000	A948010ALB	90			 ON-OFF	

CUSTOMISE YOUR MIRROR ACCORDING TO YOUR NEEDS CONFIGURA TU ESPEJO SEGÚN TUS NECESIDADES




CUSTOM MADE
MEDIDAS PERSONALIZABLES




STRAIGHT CORNERS
CANTOS RECTOS



LIGHT TEMPERATURE
COLOR DE LUZ



ROUNDED CORNERS
CANTOS REDONDEADOS



AMBIENT LIGHT
LUZ PERIMETRAL

CUSTOM LIGHTING WINDOWS VENTANAS ILUMINADAS PERSONALIZABLES


WINDOW LIGHT
VENTANA INTERIOR



EDGE LIGHT
VENTANA EXTERIOR



AMBIENT LIGHT
LUZ PERIMETRAL



ACCESSORIES / COMPLEMENTOS



INTEGRATED MAGNIFYING MIRROR (WITHOUT LIGHTING)
ESPEJO DE AUMENTO INTEGRADO (SIN LUZ INTEGRADA)



INTEGRATED MAGNIFYING MIRROR WITH LIGHTING AND TOUCH SWITCH
ESPEJO DE AUMENTO INTEGRADO CON ILUMINACIÓN Y ENCENDIDO TÁCTIL



ON/OFF TOUCH CONTROL
ON/OFF TÁCTIL



INFRARED SENSOR ON/OFF (IR)
Move your hand near the detector and the lamp will turn on, move your hand near the detector a second time and the lamp will turn off. The sensor works at 5cm distance maximum.
SENSOR INFRARROJO ON/OFF (IR)
Para encender, mueva la mano cerca del detector, y para apagar mueva la mano otra vez cerca del detector. El sensor funciona a una distancia máxima de 5cm.



ANTI-MIST (IT TURNS ON WITH THE MIRROR LIGHT)
ANTI VAHO (SE ENCIENDE JUNTO CON LA LUZ DEL ESPEJO)



SOCKET, FOR SHAVERS & TOOTH-BRUSHES (please consult finishes)
ENCHUFE, PARA MÁQUINA DE AFEITAR Y CEPILLO DE DIENTES (consultar acabados)



ACCESSORIES / COMPLEMENTOS



AUDIO MULTIFUNCTION SCREEN

- RADIO
- TEMP. °C
- TIME / HORA
- BLUETOOTH
- INTEGRATED SPEAKERS ALTAVOCES INTEGRADOS
- TOUCH ON OFF INTEGRATED ON OFF INTEGRADO TÁCTIL



TOUCH CONTROL BUTTONS / BOTONES CONTROL TÁCTIL

MULTIFUNCTION SCREEN
PANTALLA MULTIFUNCIÓN

BASIC MULTIFUNCTION SCREEN

- TIME / HORA
- TEMP. °C
- DATE / FECHA



TOUCH CONTROL BUTTONS / BOTONES CONTROL TÁCTIL

Basic **MULTIFUNCTION SCREEN**
PANTALLA MULTIFUNCIÓN

FIXATIONS / ANCLAJE A PARED




MIRROR FIXATION Lateral A-A, upper and lower B-B fixations customizable.
FIJACIÓN DEL ESPEJO Fijaciones laterales A-A y superior e inferior B-B personalizadas.



DOWNLOAD THIS CHECKLIST TO CUSTOMISE YOUR MIRROR / DESCARGUE NUESTRA FICHA PARA PERSONALIZAR SU ESPEJO
<https://www.acbiluminacion.com/mirrors/>

MULTI OPTION MIRROR - ESPEJO MULTIFUNCIÓN

Sample mirror for the shop, to be able to show customers all possible alternatives.
Espejo muestra para tiendas. para mostrar a los clientes todas las alternativas posibles.



REAL PROJECTS - PROYECTOS REALIZADOS



Large length mirror with ambient Light / Espejo con luz ambiental de gran longitud



Vertical mirrors with ambient light, multifunction accessory and touch switch, ideal for small spaces. Espejos verticales con luz ambiental, accesorio multifunción y encendido táctil ideal para espacios más pequeños.



Large length mirror with Ambient Light and a frontal round direct light. Espejo con luz ambiental de gran longitud con una luz frontal



Large format mirror with ambient Light for bathrooms, halls, dressing rooms, corridors, etc. Espejo con luz ambiental de gran formato para recibidores, vestidores, pasillos, etc.



REAL PROJECTS - PROYECTOS REALIZADOS



Large round mirror with direct Light
Espejo redondo grande con luz directa



Large rectangular mirror with direct light and rounded corners
Espejo rectangular de gran dimensión con luz directa y esquinas redondeadas



Large format rectangular mirror with direct light.
Espejo rectangular de gran formato con luz directa.



Space personalised with style including 3 round mirrors with indirect Ambient Light.
Conjunto de espejos redondos con luz indirecta que decoran el espacio dándole mucha personalidad.



Round mirror with indirect light that creates a more intimate space
Espejo redondo con luz indirecta que creando un espacio más íntimo.



Edge lighted mirror with special design. Diseño de espejo particular con esquinas redondeadas y luz ambiental.

DECORATIVE MIRRORS WITH FRAMES AND SPECIAL FIXINGS ESPEJOS DECORATIVOS CON MARCO Y FIJACIONES ESPECIALES



Please contact with our design team, and we will try to meet your needs.
Por favor, contacte con nuestro equipo de diseño, en intentaremos satisfacer sus necesidades.





Your Lighting Company

TECHNICAL LIGHTING
ILUMINACIÓN TÉCNICA

GINA WALL LAMP



Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP			
	○	1xGU10 LED	A38741B		-			350° 90°
	●	1xGU10 LED	A38741N		-			350° 90°

○ Textured white - Blanco texturado

● Textured black - Negro texturado

GINA 2 LIGHTS



Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP			
	○	2xGU10 LED	P3874R20B		-			350° 90°
	●	2xGU10 LED	P3874R20N		-			350° 90°

○ Textured white - Blanco texturado

● Textured black - Negro texturado

GINA 3 LIGHTS




Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP			
	○	3xGU10 LED	P3874R30B		-			350° 90°
	●	3xGU10 LED	P3874R30N		-			350° 90°

○ Textured white - Blanco texturado

● Textured black - Negro texturado

GINA



ZOOM



ZOOM PENDANT

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xGU10 LED	C37640B	⊕	-	☐
	●	1xGU10 LED	C37640N	⊕	-	☐

○ Textured white - Blanco texturado

● Textured Black - Negro texturado



①

ZOOM SPOT RECESSED NEW

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	☐	⊕	⊖	⊙
	○	1xGU10 LED	E37640B	☐	-	☐	42	350°	90°
	●	1xGU10 LED	E37640N	☐	-	☐	42	350°	90°

○ Textured white - Blanco texturado

● Textured Black - Negro texturado



②



ZOOM MINI SPOT RECESSED NEW

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	☐	⊕	⊖
	○	1xGU10 LED	E37641B	☐	-	☐	44	
	●	1xGU10 LED	E37641N	☐	-	☐	44	

○ Textured white - Blanco texturado

● Textured Black - Negro texturado

Max. 58 mm



③

ZOOM SPOT

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	☐	⊕	⊖
	○	1xGU10 LED	F37640B	⊕	-	☐	350°	90°
	●	1xGU10 LED	F37640N	⊕	-	☐	350°	90°

○ Textured white - Blanco texturado

● Textured Black - Negro texturado



④

ZOOM

7



ZOOM WALL

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	2xGU10 LED	A37640B	⊕	-	
	●	2xGU10 LED	A37640N	⊕	-	

○ Textured white - Blanco texturado

● Textured Black - Negro texturado



⑤

ZOOM TRACK

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP			
	○	1xGU10 LED	T37640B		-		350°	90°
	●	1xGU10 LED	T37640N		-		350°	90°

○ Textured white - Blanco texturado

● Textured Black - Negro texturado



SEE PAG. 54-55



⑥



ZOOM CEILING

Aluminium-Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xGU10 LED	P37640B	⊕	-	
	●	1xGU10 LED	P37640N	⊕	-	
	●	1xGU10 LED	P37640OS	⊕	-	
	○	1xGU10 LED	P37640BR	⊕	-	

○ Textured white - Blanco texturado

● Textured Black - Negro texturado

● Satin Gold - Oro satinado

○ Bronze - Bronce



⑦



MORGAN CEILING

OSRAM

Aluminium/Acrylic-Aluminio/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP						
	○	LED	18W	1600	>80	3000	P384610B		-		350	90	120°	✓	
	●	LED	18W	1600	>80	3000	P384610N		-		350	90	120°	✓	

○ Matt white - Blanco mate

● Matt Black - Negro mate

MORGAN



SEE PAG. 54-55

3L + 1N

4 PISTAS
4 WIRE TRACKLIGHT



MORGAN TRACK

OSRAM

Aluminium/Acrylic-Aluminio/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP				
	○	LED	18W	1600	>80	3000	T384610B	⊕	-		350°	90°	120°
	●	LED	18W	1600	>80	3000	T384610N	⊕	-		350°	90°	120°

○ Matt white - Blanco mate

● Matt Black - Negro mate

KENDRA



SEE PAG. 54-55



3L + 1N

4 PISTAS
4 WIRE TRACKLIGHT



KENDRA TRACK



bridgelux.
Aluminium-Aluminio

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP					
	○	LED	20W	1875	>80	3000	T384410B		-			355°	45°	24°
	●	LED	20W	1875	>80	3000	T384410N		-			355°	45°	24°

○ Textured White - Blanco Texturado

● Textured black - Negro Texturado

MAKO



MAKO TRACK



SEE PAG. 54-55

3L + 1N

4 PISTAS
4 WIRE TRACKLIGHT



bridgelux.
Aluminium-Aluminio

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP				
	○	LED	20W	1875	>80	3000	T384310B		-		355°	45°	24°
	●	LED	20W	1875	>80	3000	T384310N		-		355°	45°	24°

○ Textured White - Blanco Texturado

● Textured black - Negro Texturado

RONIE



RONIE LED TRACK



SEE PAG. 54-55

3L + 1N

4 PISTAS
4 WIRE TRACKLIGHT



bridgelux.
Aluminium-Aluminio

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP				
	○	LED	10W	690	>95	3000	R411810B	⊕	-		350°	90°	40°
	●	LED	10W	690	>95	3000	R411810N	⊕	-		350°	90°	40°

○ Textured white - Blanco texturado

● Textured Black - Negro texturado

LINUS



LINUS SURFACE



OSRAM

Aluminium/Acrylic-Aluminio/Acrílico

90mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP			
	○	LED	6W	500	>80	3000	P384590B	⊕	-		120°	✓
	●	LED	6W	500	>80	3000	P384590N	⊕	-		120°	✓
140mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP			
	○	LED	18W	1700	>80	3000	P3845140B	⊕	-		120°	✓
	●	LED	18W	1700	>80	3000	P3845140N	⊕	-		120°	✓

○ Matt white - Blanco mate

● Matt black - Negro mate

TANGO



TANGO SURFACE



OSRAM

Aluminium/Acrylic-Aluminio/Acrílico

	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP			
137mm 	●	LED	10W	900	>90	3000	P376810N		-		45°	✓
270mm 	●	LED	20W	1800	>90	3000	P376820N		-		45°	✓







● Textured black - Negro texturado

SPECTRA RECESSED



SPECTRA RECESSED

















Aluminium/Acrylic-Aluminio/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP			 Incl
	○	LED	7W	770	>80	3000	E37310B		20-54		Ø95	✓

○ White - Blanco

TRACK & ACCESSORIES

3-PHASE TRACK-4 WIRE TRACKLIGHT
TRIFÁSICO UNIVERSAL-4 PISTAS

N	TYPE TIPO	IMAGEN IMAGE	SIZE DIMENSIONES	FINISH ACABADO	CODE CÓDIGO
1	END CAP TAPA FINAL			○	5FIN4116B
				●	5FIN4116N
2	CONNECTOR - RIGHT CONECTOR - DERECHA L ⊕ N			○	6CON411601DB
				●	6CON411601DN
3	CONNECTOR - LEFT CONECTOR - IZQUIERDA L ⊕ N			○	6CON411601IB
				●	6CON411601IN
4	STRAIGHT JOINT EMPALME DE UNION			○	6CON411602B
				●	6CON411602N
5	STRAIGHT SUPPLY JOINT EMPALME DE UNION ELECTRIFICADO L ⊕ N			○	6CON411605B
				●	6CON411605N
6	ELECTRIFIED TRACK 1M CARRIL ELECTRIFICADO 1M			○	6TRACK001B
				●	6TRACK001N
7	ELECTRIFIED TRACK 2M CARRIL ELECTRIFICADO 2M			○	6TRACK002B
				●	6TRACK002N
8	TRACK SUSPENSION KIT KIT DE SUSPENSION DE CARRIL			○	6CONTLSB
				●	6CONTLSN


○ White - Blanco ● Black - Negro

TRACK & ACCESSORIES



3-PHASE TRACK-4 WIRE TRACKLIGHT

TRIFÁSICO UNIVERSAL-4 PISTAS





Your Lighting Company

CEILING ITEMS
PRODUCTOS DE TECHO



ISIA
CEILING



ISIA

TUNABLE WHITE

NEW

RELAX
2700K

COMFORTABLE
3500K

ATTENTION
4500K


FOCUSED
6500K



ISIA TUNABLE WHITE

Estudios sobre los ciclos circadianos demuestran que los cambios de temperatura de la luz natural desde el amanecer hasta el anochecer, influyen sobre el bienestar de las personas. Conseguir reproducir los mismos tonos de luz en entornos cerrados, como oficinas, hospitales y aeropuertos, puede ser beneficioso para las personas. Nuestras PCB Tunable White junto con sus controladores permiten la mezcla de luz cálida y luz fría, permitiendo reproducir todas las temperaturas desde 2700K hasta 6500K.

Studies on circadian cycles that affect natural light temperature changes from dawn to dusk influence people's well-being, getting to reproduce the same light tones in closed environments, such as offices, hospitals and airports, can be beneficial for people. Our Tunable White PCB together with its controllers allow the mixing of warm light and cold light, can reproduce all temperatures from 2700K to 6500K.



CONTROL OPTIONS · OPCIÓN DE CONTROL

1 RF REMOTE CONTROL
RF MANDO

2 WiFi 2.4GHz, SUITABLE FOR APP AND CONTROL VOICE (ALEXA & GOOGLE HOME)
WiFi 2.4GHz COMPATIBLE CON APP Y CONTROL POR VOZ (ALEXA & GOOGLE HOME)

3 CASAMBI
(BLUETOOTH)

Metal/Acrylic-Metal/Acrílico

SIZE	FINISH	WATT	LUM	(1) REMOTE CONTROL	(2) APP/VOICE	(3) CASAMBI
400mm 	○	40W	3660	P345343BTWRC	N/A	P345343BTWCA
	●	40W	3660	P345343NTWRC	N/A	P345343NTWCA
	●	40W	3660	P345343OTTWRC	N/A	P345343OTTWCA
600mm 	○	55W	5250	P345363BTWRC	P345363BTWAP	P345363BTWCA
	●	55W	5250	P345363NTWRC	P345363NTWAP	P345363NTWCA
	●	55W	5250	P345363OTTWRC	P345363OTTWAP	P345363OTTWCA
800mm 	○	88W	8440	P345383BTWRC	P345383BTWAP	P345383BTWCA
	●	88W	8440	P345383NTWRC	P345383NTWAP	P345383NTWCA
	●	88W	8440	P345383OTTWRC	P345383OTTWAP	P345383OTTWCA
1000mm 	○	150W	12300	P345393BTWRC	P345393BTWAP	P345393BTWCA
	●	150W	12300	P345393NTWRC	P345393NTWAP	P345393NTWCA
	●	150W	12300	P345393OTTWRC	P345393OTTWAP	P345393OTTWCA

○ Textured White/Opal - Blanco texturado/Opal ● Textured Black/Opal - Negro texturado/Opal ● Technical Gold/Opal - Oro técnico/Opal

ISIA PENDANT



PENDANT KIT
pag. 377



ACCESORIES SEE PAGE: 116-119



REMOTE CONTROL



CASAMBI



VOICE CONTROL



SMART LIFE APP



EMERGENCY KIT



MOTION SENSOR
























































PENDANT KIT



RAL COLOURS

Metal/Acrylic-Metal/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
400mm 	○	LED	40W	3660	>80	3000	P345340B	P345340BDT	P345340BDP		-	
	○	LED	40W	3660	>80	4000	P345341B	P345341BDT	P345341BDP		-	
	●	LED	40W	3660	>80	3000	P345340N	P345340NDT	P345340NDP		-	
	●	LED	40W	3660	>80	4000	P345341N	P345341NDT	P345341NDP		-	
	●	LED	40W	3660	>80	3000	P345340OT	P345340OTDT	P345340OTDP		-	
	●	LED	40W	3660	>80	4000	P345341OT	P345341OTDT	P345341OTDP		-	
600mm 	○	LED	55W	5250	>80	3000	P345360B	P345360BDT	P345360BDP		-	
	○	LED	55W	5250	>80	4000	P345361B	P345361BDT	P345361BDP		-	
	●	LED	55W	5250	>80	3000	P345360N	P345360NDT	P345360NDP		-	
	●	LED	55W	5250	>80	4000	P345361N	P345361NDT	P345361NDP		-	
	●	LED	55W	5250	>80	3000	P345360OT	P345360OTDT	P345360OTDP		-	
	●	LED	55W	5250	>80	4000	P345361OT	P345361OTDT	P345361OTDP		-	
800mm 	○	LED	88W	8440	>80	3000	P345380B	P345380BDT	P345380BDP		-	
	○	LED	88W	8440	>80	4000	P345381B	P345381BDT	P345381BDP		-	
	●	LED	88W	8440	>80	3000	P345380N	P345380NDT	P345380NDP		-	
	●	LED	88W	8440	>80	4000	P345381N	P345381NDT	P345381NDP		-	
	●	LED	88W	8440	>80	3000	P345380OT	P345380OTDT	P345380OTDP		-	
	●	LED	88W	8440	>80	4000	P345381OT	P345381OTDT	P345381OTDP		-	
1000mm 	○	LED	150W	12300	>80	3000	P345390B	P345390BDT	P345390BDP		-	
	○	LED	150W	12300	>80	4000	P345391B	P345391BDT	P345391BDP		-	
	●	LED	150W	12300	>80	3000	P345390N	P345390NDT	P345390NDP		-	
	●	LED	150W	12300	>80	4000	P345391N	P345391NDT	P345391NDP		-	
	●	LED	150W	12300	>80	3000	P345390OT	P345390OTDT	P345390OTDP		-	
	●	LED	150W	12300	>80	4000	P345391OT	P345391OTDT	P345391OTDP		-	

○ Textured White/Opal - Blanco texturado/Opal

● Textured Black/Opal - Negro texturado/Opal

● Technical Gold/Opal - Oro técnico/Opal

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

ISIA
RECESSED



ISIA
RECESSED



Metal/Acrylic-Metal/Acrílico

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP		
430mm 	○	LED	40W	3660	>80	3000	E345340B	E345340BDT	E345340BDP	⊕	-		Ø400
	○	LED	40W	3660	>80	4000	E345341B	E345341BDT	E345341BDP	⊕	-		Ø400
	●	LED	40W	3660	>80	3000	E345340N	E345340NDT	E345340NDP	⊕	-		Ø400
	●	LED	40W	3660	>80	4000	E345341N	E345341NDT	E345341NDP	⊕	-		Ø400
	●	LED	40W	3660	>80	3000	E3453400T	E3453400TDT	E3453400TDP	⊕	-		Ø400
	●	LED	40W	3660	>80	4000	E3453410T	E3453410TDT	E3453410TDP	⊕	-		Ø400
630mm 	○	LED	55W	5250	>80	3000	E345360B	E345360BDT	E345360BDP	⊕	-		Ø600
	○	LED	55W	5250	>80	4000	E345361B	E345361BDT	E345361BDP	⊕	-		Ø600
	●	LED	55W	5250	>80	3000	E345360N	E345360NDT	E345360NDP	⊕	-		Ø600
	●	LED	55W	5250	>80	4000	E345361N	E345361NDT	E345361NDP	⊕	-		Ø600
	●	LED	55W	5250	>80	3000	E3453600T	E3453600TDT	E3453600TDP	⊕	-		Ø600
	●	LED	55W	5250	>80	4000	E3453610T	E3453610TDT	E3453610TDP	⊕	-		Ø600

○ Textured white/Opal - Blanco texturado/Opal

● Textured black/Opal - Negro texturado/Opal

● Technical gold/Opal - Oro técnico/Opal

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

ACCESORIES SEE PAGE: 116-119



DILGA CEILING



DILGA CEILING



Metal/Acrylic-Metal/Acrílico

	450mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC*	DALI/PUSH	CLASS	IP	
		○	LED	27W	2100	>80	3000	P345010B	P345010BDT	P345010BDP	⊕	-	
		●	LED	27W	2100	>80	3000	P345010N	P345010NDT	P345010NDP	⊕	-	
	600mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC*	DALI/PUSH	CLASS	IP	
		○	LED	48W	3730	>80	3000	P345020B	P345020BDT	P345020BDP	⊕	-	
		●	LED	48W	3730	>80	3000	P345020N	P345020NDT	P345020NDP	⊕	-	
	900mm NEW	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC*	DALI/PUSH	CLASS	IP	
		○	LED	126W	9800	>80	3000	P345040B	P345040BDT	P345040BDP	⊕	-	
		●	LED	126W	9800	>80	3000	P345040N	P345040NDT	P345040NDP	⊕	-	

○ Textured white - Blanco texturado

● Textured black - Negro texturado

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

ACCESORIES SEE PAGE: 116-119



VOICE CONTROL



SMART LIFE APP



EMERGENCY KIT

ALISO CEILING



Metal/Acrylic-Metal/Acrílico

470mm NEW	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	40W	3345	>80	3000	P374270B		-	
600mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	55W	4600	>80	3000	P374290B		-	
800mm NEW	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	75W	5800	>80	3000	P374220B		-	

○ Textured white/Opal - Blanco texturado/Opal

ALISO PENDANT



Metal/Acrylic-Metal/Acrílico

600mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	55W	4600	>80	3000	C374290B		-	
800mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	75W	5800	>80	3000	C3742220B		-	

○ Textured white/Opal - Blanco texturado/Opal

GRACE


CEILING









GRACE CEILING



EXTRA FLAT
EXTRA PLANO



Metal/Acrylic-Metal/Acrílico

480mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	40	3450	>80	3000	P384810B	P384810BDT	P384810BDP	⊕	-	
580mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	50	4250	>80	3000	P384820B	P384820BDT	P384820BDP	⊕	-	
780mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	80	6800	>80	3000	P384830B	P384830BDT	P384830BDP	⊕	-	

○ Textured White - Blanco texturado

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

ACCESORIES SEE PAGE: 116-119



GRACE

PENDANT





Metal/Acrylic-Metal/Acrílico

580mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	50	4250	>80	3000	C384820B	C384820BDT	C384820BDP	⊕	-	
780mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	80	6800	>80	3000	C384830B	C384830BDT	C384830BDP	⊕	-	
980mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC (*)	DALI/PUSH	CLASS	IP	
	○	LED	100	8150	>80	3000	C384840B	C384840BDT	C384840BDP	⊕	-	

○ Textured White - Blanco texturado

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

ACCESORIES SEE PAGE: 116-119



REMOTE CONTROL



CASAMBI



VOICE CONTROL



SMART LIFE APP

DILGA PENDANT



ACCESORIES SEE PAGE: 116-119



REMOTE CONTROL



CASAMBI



VOICE CONTROL



WORKS WITH THE GOOGLE ASSISTANT



SMART LIFE APP

DILGA PENDANT



Metal/Acrylic-Metal/Acrílico

	SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC*	DALI/PUSH	CLASS	IP	
450mm		○	LED	27W	2100	>80	3000	C345010B	C345010BDT	C345010BDP	⊕	-	
		●	LED	27W	2100	>80	3000	C345010N	C345010NDT	C345010NDP	⊕	-	
600mm		○	LED	48W	3730	>80	3000	C345020B	C345020BDT	C345020BDP	⊕	-	
		●	LED	48W	3730	>80	3000	C345020N	C345020NDT	C345020NDP	⊕	-	
900mm		○	LED	126W	9800	>80	3000	C345040B	C345040BDT	C345040BDP	⊕	-	
		●	LED	126W	9800	>80	3000	C345040N	C345040NDT	C345040NDP	⊕	-	
1100mm		○	LED	144W	11200	>80	3000	C345050B	C345050BDT	C345050BDP	⊕	-	
		●	LED	144W	11200	>80	3000	C345050N	C345050NDT	C345050NDP	⊕	-	
1350mm		○	LED	168W	13100	>80	3000	C345060B	C345060BDT	C345060BDP	⊕	-	
		●	LED	168W	13100	>80	3000	C345060N	C345060NDT	C345060NDP	⊕	-	

○ Textured white - Blanco texturado

● Textured black - Negro texturado

* To be used exclusively with LED dimming system and only one unit per system / Uso exclusivo para reguladores LED y máximo una unidad por regulador.

LISBOA





UP AND DOWN LIGHT

Metal/Acrylic-Metal/Acrílico

400mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC	DALI/PUSH	CLASS	IP	
	○	LED	30W+5W	2745+460	>80	3000	P385140B	P385140BDT	P385140BDP	⊕	-	
	○	LED	30W+5W	2745+460	>80	4000	P385141B	P385141BDT	P385141BDP	⊕	-	
600mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC	DALI/PUSH	CLASS	IP	
	○	LED	60W+8W	5490+735	>80	3000	P385160B	P385160BDT	P385160BDP	⊕	-	
	○	LED	60W+8W	5490+735	>80	4000	P385161B	P385161BDT	P385161BDP	⊕	-	
800mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	TRIAC	DALI/PUSH	CLASS	IP	
	○	LED	80W+12W	7320+915	>80	3000	P385180B	P385180BDT	P385180BDP	⊕	-	
	○	LED	80W+12W	7320+915	>80	4000	P385181B	P385181BDT	P385181BDP	⊕	-	

○ Textured White - Blanco texturado

PENDANT KIT	SIZE	FINISH	CODE
	2,5 m	○	81CON38514B
		○	81CON38516B
		○	81CON38518B

ACCESSORIES SEE PAGE: 116-119

REMOTE CONTROL

CASAMBI

VOICE CONTROL

SMART LIFE APP

amazon alexa

works with the Google Assistant

IMAX



Metal/Acrylic-Metal/Acrílico

440mm		FINISH	LAMP	WATT	LUM	CRI	K	CODE	CLASS	IP	
	○	LED	32W	1800	>80	3000 4000 6000	P382363B	⊕	-		
	●	LED	32W	1800	>80	3000 4000 6000	P382363N	⊕	-		
600mm		FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	46W	2850	>80	3000 4000 6000	P382393B	⊕	-		
	●	LED	46W	2850	>80	3000 4000 6000	P382393N	⊕	-		

○ Textured white - Blanco texturado

● Textured black - Negro texturado



COLOUR TEMPERATURE CHANGEABLE AND DIMMABLE
TEMPERATURA DE COLOR REGULABLE Y DIMABLE



WARM LIGHT

NEUTRAL LIGHT

COLD LIGHT



smart home



amazon alexa

works with the Google Assistant

Smart Life

Download on the App Store

GET IT ON Google Play

Metal/Acrylic-Metal/Acrílico

480mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF / SMART	CLASS	IP	
	○	LED	36W	4400	>80	2800 5000	P385243B	□	43	
600mm	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF / SMART	CLASS	IP	
	○	LED	45W	5500	>80	2800 5000	P385263B	□	43	

○ Textured White - Blanco texturado

KOE



FARO





Acrylic/Aluminium-Acrílico/Aluminio

930mm		FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	<input type="radio"/>	LED	36W	3495	>80	4000	P384111B		-		
	<input checked="" type="radio"/>	LED	36W	3495	>80	4000	P384111BN		-		
1230mm		FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	<input type="radio"/>	LED	40W	3850	>80	4000	P384121B		-		
	<input checked="" type="radio"/>	LED	40W	3850	>80	4000	P384121BN		-		

White - Blanco

White/Black - Blanco/Negro



Your Lighting Company

CUSTO





Metal-Metal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	5W	500	>80	3000	C38181N	⊕	-	

● Black Textured - Negro Texturado

CUSTO



Metal-Metal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	30W	3000	>80	3000	C38186N	⊕	-	□

● Black Textured - Negro Texturado

DAMA






BY NACHO TIMON



RAL COLOUR

Pedido mínimo requerido 25 uds (consultar)
Minimum order required 25 units (please consult)



Metal/Methacrylate-Metal/Metacrilate

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○ ○	1xE27 LED	C8177B	⊕	-	
	● ○	1xE27 LED	C8177BGR	⊕	-	
	● ●	1xE27 LED	C8177OTVE	⊕	-	

- ○ Oyster White - Blanco Perla (RAL 1013)
- ○ Traffic Grey B/Oyster White - Gris tráficoB/Blanco Perla (RAL 7043)/(RAL 1013)
- ● Moss Green/Pearl Gold - Verde Musgo/Oro Perlado (RAL 6005)/(RAL 1036)



FLEXIA



RAL COLOUR

Pedido mínimo requerido 25 uds (consultar)
Minimum order required 25 units (please consult)




Pag. 113

Metal/Methacrylate-Metal/Metacrilate

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○ ○	1xE27 LED	S8175B		-	
	● ○	1xE27 LED	S8175BGR		-	
	● ●	1xE27 LED	S81750TVE		-	

- ○ Oyster White - Blanco Perla (RAL 1013)
- ○ Traffic Grey B/Oyster White - Gris tráficoB/Blanco Perla (RAL 7043)/(RAL 1013)
- ● Moss Green/Pearl Gold - Verde Musgo/Oro Perlado (RAL 6005)/(RAL 1036)



INDA



Metal/Glass-Metal/Cristal

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xGU10 LED	C38551B	⊕	-	
	●	1xGU10 LED	C38551N	⊕	-	

○ White/Smoked - Blanco/Fumé

● Black/Smoked - Negro/Fumé



HALO

WALL



HALO

4 LIGHTS
WALL
TABLE



HALO

8 LIGHTS





Metal/Glass -Metal/Cristal

WALL LAMP APLIQUE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	5W	370	>80	3000	A3815100	⊕	-	☐
TABLE LAMP SOBREMESA	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	●	LED	5W	370	>80	3000	S3815100	☐	-	☐
PENDANT 4L COLGANTE 4L	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>Electrified wire 2m</p>	●	LED	20W	1480	>80	3000	C38151400	⊕	-	☐
PENDANT 8L COLGANTE 8L	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>Electrified wire 2m</p>	●	LED	40W	2960	>80	3000	C38151800	⊕	-	☐

● Technical gold - Oro técnico

MIRTA



NEW

NEW



Textil/Acrylic-Textil/Acrílico

PENDANT LAMP	380mm	FINISH	LAMP	ON-OFF	CLASS	IP	
		○	1xE27 LED	C30550B		⊕	-
	●	1xE27 LED	C30550PI		⊕	-	
	450mm	FINISH	LAMP	ON-OFF	CLASS	IP	
		○	1xE27 LED	C30551B		-	
		●	1xE27 LED	C30551PI		-	

○ White - Blanco ● Stone - Piedra

Textil/Acrylic-Textil/Acrílico

TABLE & FLOOR LAMP/ SOBREMESA Y PIE	360mm	FINISH	LAMP	ON-OFF	CLASS	IP	
		○	1xE27 LED	S30540B		□	-
	●	1xE27 LED	S30540PI		□	-	
	510mm	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xE27 LED	S30541B		□	-	
	●	1xE27 LED	S30541PI		□	-	

○ White - Blanco ● Stone - Piedra



Textil/Acrylic-Textil/Acrílico

WALL LAMP/APLIQUE	210	FINISH	LAMP	ON-OFF	CLASS	IP	
		○	1xE27 LED	A30550B		⊕	-
	●	1xE27 LED	A30550PI		⊕	-	

○ White - Blanco ● Stone - Piedra

Textil/Acrylic-Textil/Acrílico

TABLE & FLOOR LAMP/ SOBREMESA Y PIE	710mm	FINISH	LAMP	ON-OFF	CLASS	IP	
		○	1xE27 LED	S30542B		□	-
	●	1xE27 LED	S30542PI		□	-	
	1350mm	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	3xE27 LED	H30541B		□	-	
	●	3xE27 LED	H30541PI		□	-	

○ White - Blanco ● Stone - Piedra

MAUI


NEW





Metal/Glass-Metal/Cristal

WALL LAMP/APLIQUE	FINISH	LAMP	ON-OFF	CLASS	IP	
-------------------	--------	------	--------	-------	----	--




●	1xE27 LED	A816320	□	44		
---	-----------	----------------	---	----	--	--

PENDANT LAMP/COLGANTE	FINISH	LAMP	ON-OFF	CLASS	IP	
-----------------------	--------	------	--------	-------	----	--



●	1xE27 LED	C816310	⊕	-		
---	-----------	----------------	---	---	--	--


PENDANT LAMP/COLGANTE	FINISH	LAMP	ON-OFF	CLASS	IP	
-----------------------	--------	------	--------	-------	----	--



●	5xE27	C816350	⊕	-		
---	-------	----------------	---	---	--	--




PENDANT LAMP/COLGANTE	FINISH	LAMP	ON-OFF	CLASS	IP	
-----------------------	--------	------	--------	-------	----	--



●	4xE27 LED	C816340	⊕	-		
---	-----------	----------------	---	---	--	--

TABLE LAMP/SOBREMESA	FINISH	LAMP	ON-OFF	CLASS	IP	
----------------------	--------	------	--------	-------	----	--



●	1xE27 LED	S816310	□	-		
---	-----------	----------------	---	---	--	--

FLOOR LAMP/PIE	FINISH	LAMP	ON-OFF	CLASS	IP	
----------------	--------	------	--------	-------	----	--















●	1xE27 LED	H816310	□	-		
---	-----------	----------------	---	---	--	--

● Antique gold/Opal - Oro viejo/Opal



Metal/Glass-Metal/Cristal

300mm	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xG9 LED	C38063B		-	
450mm	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xE27 LED	C38064B		-	
700mm	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xE27 LED	C38067B		-	

○ Textured White - Blanco Texturado



MARINA



LIKE



Double layer glass/Aluminium - Cristal doble capa /Aluminio

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	
	○	1xE27 LED	S81761B	□	-	□

○ White/Opal - Blanco/Opal

🔌 USB output: DC 5V-MAX. 2A



EKIL



Metal/Glass-Metal/Cristal

SIZE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
	○	LED	6W	490	>80	3000	S81831B		-	
	●	LED	6W	490	>80	3000	S81831N		-	

○ White - Blanco

● Black - Negro

USB output: DC 5V-MAX. 2A

PANAU



PANAU



Metal/Acrylic-Metal/Acrílico

TABLE LAMP/SOBREMESA	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>Ø150 Min. 75 Max. 135</p>	○	LED	3W+6W	315+750	>80	3000	A36600B	⊕	-	□
	●	LED	3W+6W	315+750	>80	3000	A36600NS	⊕	-	□
TABLE LAMP/SOBREMESA	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>120 68 454 NEW Ø150</p>	○	LED	6W+3W	490+315	>80	3000	S36600B	⊕	-	□
	●	LED	6W+3W	490+315	>80	3000	S36600NS	⊕	-	□
FLOOR LAMP/PIE	FINISH	LAMP	WATT	LUM	CRI	K	ON-OFF	CLASS	IP	
<p>120 100 1400 NEW Ø240</p>	○	LED	8W+3W	650+315	>80	3000	H36600B	⊕	-	□
	●	LED	8W+3W	650+315	>80	3000	H36600NS	⊕	-	□

○ Textured white - Blanco texturado

● Satin nickel - Níquel satinado

CLIP



BORNEO



BORNEO

Metal/Cotton-Metal/Algodón

TABLE LAMP/SOBREMESA	FINISH	LAMP	ON-OFF	CLASS	IP	
	●	1xE27 LED	S8179N	□	-	□
FLOOR LAMP/PIE	FINISH	LAMP	ON-OFF	CLASS	IP	
	●	1xE27 LED	H8179N	□	-	□

● Textured Black - NegroTexturado



CUSTOMISED SHADE please consult (MOQ 25 units)
PANTALLA PERSONALIZABLE consultar (MOQ 25 uds)



RAL COLOURS

Customised items for MOQ of 25 units (please consult).
Productos personalizables para cantidades mínimas de 25 unidades (consultar).



CLIP

Metal/Cotton-Metal/Algodón

TABLE LAMP/SOBREMESA	FINISH	LAMP	ON-OFF	CLASS	IP	
	●	1xE27 LED	S8178N	□	-	□
FLOOR LAMP/PIE	FINISH	LAMP	ON-OFF	CLASS	IP	
	●	1xE27 LED	H8178N	□	-	□

● Textured Black - NegroTexturado















NORI



NORI



Aluminium/Glass-Auminio/Cristal


WALL LAMP 172mm	FINISH	LAMP	ON-OFF	CLASS	IP	IK	
	●	1xE27 LED	A20441GR		54	08	
WALL LAMP 248mm	FINISH	LAMP	ON-OFF	CLASS	IP	IK	
	●	2xE27 LED	A20442GR		54	08	
CEILING LAMP	FINISH	LAMP	ON-OFF	CLASS	IP	IK	
	●	1xE27 LED	P2044GR		54	08	

● Anthracite - Antracita



Pag. 113

NEMO



Aluminium/Glass-Aluminio/Cristal

SIZE	FINISH	LAMP	ON-OFF	CLASS	IP	IK	
	●	1xGU10 LED	E204710IN	⊕	67	10	☐

● Inox Steel - Acero Inoxidable



IP68

INCLUDED

AVAILABLE BULBS BOMBILLAS DISPONIBLES

Image & Dimensions Imagen & Dimensiones	COD.	Socket Casquillo	V/Hz	W	LUM	° Kelvin	CRI	Angle Angulo	Life Span Vida Útil	Packaging Embalaje
 	ACB62109	GU10	220-240V / 50-60Hz	8W	850	3000K	80	120°	25.000h	20 units
	ACB62122					4000K				
	ACB62110					5000K				
 	ACB62069	E27	220-240V / 50-60Hz	6W	550	3000K	80	160°	25.000h	20 units
	ACB62126					4000K				
	ACB62070					5000K				
 	ACB62434	E27	220-240V / 50-60Hz	9W	900	3000K	80	180°	25.000h	20 units
	ACB62435					4000K				
	ACB62436					5000K				
 	ACB62393	E27	220-240V / 50-60Hz	14W	1500	3000K	80	270°	25.000h	20 units
	ACB62394					4000K				
	ACB62395					5000K				
 	ACB62431	E14	220-240V / 50-60Hz	9W	900	3000K	80	180°	25.000h	20 units
	ACB62432					4000K				
	ACB62433					5000K				
 	ACB62437	E14	220-240V / 50-60Hz	9W	900	3000K	80	270°	25.000h	20 units
	ACB62438					4000K				
	ACB62439					5000K				
 	ACB62105	G9	220-240V / 50-60Hz	4W	400	3000K	80	360°	30.000h	50 units
	ACB62106					5000K				
 	6BOMB048	E27	220-240V / 50-60Hz	7W	650	2700K	80	360°	25.000h	1 unit
 	6BOMB049	E27	220-240V / 50-60Hz	7W	750	2700K	80	360°	25.000h	1 unit

TECHNICAL INFORMATION INFORMACIÓN TÉCNICA

Product typology
Tipología de producto

Nombre del producto
Product name

Fotografía de ambiente
Environment photography

Section
Apartado

Version of the item
Tipología del producto

Brand chip
Marca de chip

Material
Material

Technical drawing
Dibujo técnico

Page number
Número de página

LUMINACIÓN TÉCNICA / TECHNICAL DRAWING



APEX SURFACE

CREE+ Type of light Tipo de iluminación Power Potencia Luminous flux Flujo luminoso Codes Códigos

WATT	FINISH	LAMP	WATT	LUM.	CR.	Ø	Ø IN CH.	TRAC.	CLAS.	IP	IC	IC	IC
12W	BLK	LED	12W	800	>80	3000	Ø41x210	Ø41x210	IP67	IP68	IP67	IP67	IP67
15W	BLK	LED	15W	1000	>80	4000	Ø41x210	Ø41x210	IP67	IP68	IP67	IP67	IP67
18W	BLK	LED	18W	1200	>80	5000	Ø41x210	Ø41x210	IP67	IP68	IP67	IP67	IP67

Finish Acabado Color temperature Temperatura de color Class protection Clase de protección Protection rate Grado de protección Symbols Simbología

CRI (Chromatic Reproduction Index) CRI (Índice de Reproducción Cromática)

The color rendering index of a light is a measure of its ability to reproduce the colors of various objects faithfully in comparison with an ideal or natural light source. Capacidad para reproducir los colores en comparación con una fuente de luz natural.


IK DEGREE GRADO IK

IK ratings are defined as IKXX, where "XX" is a number from 00 to 10 indicating the degrees of protection provided by electrical enclosures (including luminaires) against external mechanical impacts. The IK rating scale identifies the ability of an enclosure to resist impact energy levels measured in joules (J).

Las clasificaciones IK se definen como IKXX, donde "XX" es un número del 00 al 10 que indica los grados de protección proporcionada por las envolventes eléctricas (incluidas luminarias) contra elementos externos impactos mecánicos. La escala de clasificación IK identifica la capacidad de una carcasa para resistir niveles de energía de impacto medidos en julios (J).

IK DEGREE GRADO IK	IK 00	IK 01	IK 02	IK 03	IK 04	IK 05	IK 06	IK 07	IK 08	IK 09	IK 10
ENERGY (J) ENERGÍA (J)	--	0.15	0.2	0.35	0.5	0.7	1	2	5	10	20
MASS & HEIGHT MASA Y ALTURA	--	0.2Kg 70mm	0.2Kg 100mm	0.2Kg 175mm	0.2Kg 250mm	0.2Kg 350mm	0.5Kg 200mm	0.5Kg 400mm	1.7Kg 295mm	5Kg 200mm	5Kg 400mm

















































PROTECTION RATE GRADO DE PROTECCIÓN



Protection rate against dust and wather. Resistencia del artículo a la entrada de partículas externas como polvo y agua.

- Zona 0 IP67 / IP68
- Zona 1 IP45 / IP55 / P65
- Zona 2 IP44 Como mínimo / At least
- Zona 3 Sin requisitos especiales / Without special requirements

SYMBOLS SÍMBOLOS



	Protection of the installation with earth wire Protección de la instalación con cable de toma de tierra		Motion sensor Sensor de movimiento
	Protection of the installation with double isolation wire Protección de la instalación con doble aislamiento de los cables		Hold time Tiempo de espera
	Luminaire for protective low voltage (SELV) Luminaria para muy baja tensión de protección (MBTS)		Mounting height 6 m Altura de montaje 6 m
	Easily painted Pintable		Automatic On/Off Encendido automático
	Trimless Acabado invisible		Detection zone Zona de detección
	Rotating Rotatorio		Light sensor Sensor de luminosidad
	Tilting Basculante		Time Tiempo
	Cutting hole Agujero de corte		Emergency Emergencia
	Dimmable Regulable		Antiglare Antideslumbramiento
	Beam angle Ángulo de apertura		Detection angle Ángulo de detección
	Shade Pantalla		Radar sensor Sensor radar
	Mounting positions posición de montaje		Solar charge Carga solar
	Ceiling mounting Montaje en techo		Bluetooth Bluetooth
	Wall mounting Montaje en pared		Stepless dimming Dimado progresivo
	Floor mounting Montaje en suelo		RGB RGB
	Ceiling and wall mounting Montaje en techo y pared		Remote control Mando a distancia
	Recessed mounting positions Posiciones de montaje en empotrables		Speaker power Potencia de los altavoces
	Ceiling recessed mounting Empotrable para montaje en techo		Playback/Lighting time Tiempo de reproducción/alumbrado
	Wall recessed mounting Empotrable para montaje en pared		Touch control Botón táctil
	Floor recessed mounting Empotrable para montaje en suelo		3, 4 or 6 Steps dimming 3, 4 o Intensidades
	Ceiling and wall recessed mounting Empotrable para montaje en techo y pared		USB output Salida USB
	CCT - Correlated Color Temperature CCT - Rango de temperatura de color		60 minutes timer Temporizador 60 minutos
	Wireless & USB charger Cargador inalámbrico & USB		Different color temperature Distintas temperaturas de color
	Voice control Control por voz		The driver is incorporated into the luminaire. El driver está incorporado dentro de la luminaria.

ACCESSORIES ACCESORIOS



SMART LIFE

WIFI technology



Smart life, smart living...

- Remotely control home appliances from anywhere.
- Add and control multiple devices at once with one App.
- Voice control via Amazon Echo and Google Home.
- Interworking of multiple smart devices. Devices automatically start/stop working based on temperature, location and time.
- Easily share devices among family members.
- Receive real-time alerts to ensure safety.
- Easily and quickly connect Tuya Smart App to devices.

Vida inteligente, vida inteligente...

- Controle de forma remota los electrodomésticos desde cualquier lugar.
- Agregue y controle múltiples dispositivos a la vez con una aplicación.
- Control de voz a través de Amazon Echo y Google Home.
- Control de múltiples dispositivos inteligentes. Los dispositivos comienzan / dejan de funcionar automáticamente según la temperatura, la ubicación y la hora.
- Comparta fácilmente dispositivos entre miembros de la familia.
- Recibir alertas en tiempo real para garantizar la seguridad.
- Conecte fácil y rápidamente la aplicación inteligente Tuya a los dispositivos.

COMPATIBLE



VOICE CONTROL



APP



ACCESSORIES ACCESORIOS



CASAMBI

 BLUETOOTH technology

The Casambi app is the easiest and most natural way to control your lights. With the app you can control both Casambi enabled lighting fixtures and Philips Hue bulbs. The first time use has been made easy and intuitive. With one tap you are ready to control your lights.

Controlling all your lamps from one view: With the Casambi app you can control all your lighting fixtures with one view. It is possible to control your lights individually or as a group. For example you can create a group of your kitchen, office or shop lights and turn them all off / on with just one tap. Or you can dim the living room lights to pleasant light level for a movie.

Control your lights from a photo: The Gallery in Casambi app is the most natural way of controlling your lights. Take a picture of your room(s) and place the lamp controls over the lighting fixtures in the picture. Now you can control your lighting fixtures visually right from the picture.

Create scenes for different lighting situations: You can create different scenes for different occasions. Set the lights just right for dining, office environments or shop promotions and save the settings in a scene. Now you can change the lighting with one tap for different occasions for example a dinner party or a meeting with a customer.

Share your network and allow other devices to control your lights: Casambi has four different levels for sharing and access control. You can decide if your network is open to everyone or if other users need a password to access your network. If you have several users and devices using the same network, all the changes made with one device will be automatically updated to the other devices with Casambi cloud service.

La app Casambi es la forma más sencilla y natural de controlar tus lámparas. Con ella podrás controlar tanto los dispositivos habilitados con la tecnología Casambi así como bombillas Philips Hue. La puesta en marcha se realiza de forma fácil e intuitiva. Simplemente con una pulsación estarás preparado para controlar toda tu iluminación.















Controla todas tus lámparas a través de la misma interfaz: Con la app Casambi podrás controlar todas tus lámparas desde la misma pantalla. Es posible controlarlas individualmente o por grupos. Por ejemplo, puedes crear un grupo con las lámparas de tu cocina, oficina o tienda y encender/apagar todas ellas con una única pulsación. También puedes regular las lámparas de tu salón fijando un nivel de luz agradable para ver una película.

Controla tus lámparas desde una fotografía: La Galería en la app Casambi es la forma más natural de controlar tu iluminación. Toma una fotografía de tu(s) estancia(s) y coloca los controles de lámpara sobre ellas en la fotografía. Ahora puedes controlar tus lámparas visualmente desde la propia fotografía.

Crea escenas para distintas situaciones: Puedes crear varias escenas para diferentes ocasiones. Establece la iluminación adecuada para una fiesta, entornos de oficina o promociones de una tienda y guarda la configuración en una escena. Ahora puedes cambiar la iluminación con una única pulsación para adecuarla a diferentes situaciones, por ejemplo, una cena o una reunión con un cliente.











Comparte tu red y permite a otros dispositivos controlar tus lámparas: Casambi tiene cuatro niveles diferentes para compartir y controlar el acceso a tu red. Puedes decidir si tu red se encuentra abierta a todo el mundo o si se necesita una contraseña para acceder a ella. En caso de que varios usuarios/dispositivos estén utilizando la misma red, todos los cambios realizados con un solo dispositivo se actualizarán automáticamente en los demás dispositivos a través del servidor en la nube Casambi.

CONTROL OPTIONS CONTROLADORES

KIT MULTICANAL (DALI ITEMS)		SIZE (mm)	SIGNAL (RF)	CODE	FUNCION
REMOTE CONTROL MULTICANAL		120x55x17		XCONTROL001	<p>By installing our DALI receiver, we can control our DALI luminaire with this multi-channel remote control; it can control 4 groups of up to 50 luminaires per group and individually. It also has 3 memory positions capable of storing different configurations between groups. This option does not require an additional installation; that is, we can use a 2 wires standard on / off installation. The receiver is responsible for generating the DALI bus. Also, the item can be controlled by a push switch by adding an extra wire. Please use one receiver per item.</p> <p><i>Instalando nuestro receptor DALI, podemos controlar nuestras luminarias DALI con este mando multicanal; este mando puede controlar 4 grupos de hasta 50 luminarias por canal y de manera individual. También dispone de 3 posiciones de memoria capaz de almacenar distintas configuraciones entre grupos. No se requiere una instalación adicional; es decir que podemos usar una instalación on/off estándar de dos cables; el receptor se encarga de generar el bus DALI. También se podrá controlar la luminaria desde un pulsador haciéndole llegar un cable extra a la luminaria. Se necesita un receptor por cada luminaria.</i></p>
RECEIVER DALI/PUSH		76,5x51x25		XDRVPART008	
KIT MONOCANAL (DALI ITEMS)		SIZE (mm)	SIGNAL RF	CODE	FUNCION
REMOTE CONTROL MONOCANAL		141x35x8,5		XCONTROL002	<p>By installing our DALI receiver, we can control our DALI luminaires with this mono channel remote control. This option does not require an additional installation; that is, we can use a 2 wires standard on / off installation. The receiver is responsible for generating the DALI bus. Also, the item can be controlled by a push switch by adding an extra wire. Please use one receiver per item.</p> <p><i>Instalando nuestro receptor DALI, podemos controlar nuestra luminarias DALI con este mando mono canal. No se requiere una instalación adicional; es decir que podemos usar una instalación on/off estándar de dos cables; el receptor se encarga de generar el bus DALI. También se podrá controlar la luminaria desde un pulsador haciéndole llegar un cable extra a la luminaria. Se necesita un receptor por luminaria.</i></p>
RECEIVER DALI/PUSH		76,5x51x25		XDRVPART008	
CASAMBI		SIZE (mm)	PROTOCOL BLUETOOTH	CODE	
RECEIVER DALI		56x36x22		XDRVPART004	<p>By installing this receiver to the DALI inputs of the driver, we can transform our product into a Smart device and control it from the CASAMBI app; in the same way it can be dimmed from a normal switch. One receiver is needed per luminaire and more items can be controlled jointly. This receiver generates DALI bus and there is no power limitation.</p> <p><i>Instalando este receptor a las entradas DALI del driver, podemos transformar nuestro producto en Smart y controlarlo desde la app CASAMBI; de igual forma se puede dimar desde un interruptor standard. Se necesita un receptor por luminaria y se pueden controlar de forma conjunta. Este receptor genera bus DALI y no hay limitación de potencia.</i></p>
RECEIVER TRIAC		40x36x14		XDRVPART003	<p>By installing this receiver before the TRIAC driver and the luminaire with power below 50W, we can transform our product into a Smart device and control it from the CASAMBI app; in the same way it can be dimmed from a normal switch. One receiver is required per luminaire and more items can be controlled jointly.</p> <p><i>Instalando este receptor antes del driver TRIAC y la luminaria con potencia inferior a 50W, podemos transformar nuestro producto en Smart y controlarlo desde la app CASAMBI; de igual forma se puede dimar desde un interruptor normal. Se necesita un receptor por luminaria y se pueden controlar de forma conjunta.</i></p>
SMART CONTROL (TRIAC ITEMS)		SIZE (mm)	PROTOCOL WIFI	CODE	
RECEIVER TRIAC		45x45x22		XDRVPART010	<p>By installing this receiver between the TRIAC driver and the luminaire with power below 250W, we can transform our product into a Smart device and control it from the CASAMBI app; in the same way it can be dimmed from a normal switch. One receiver is required per luminaire and more items can be controlled jointly. Also, the item can be controlled by a push switch by adding an extra wire.</p> <p><i>Instalando este receptor ZIGBEE en una luminaria con potencia inferior a 250W, podemos transformar nuestro producto TRIAC en Smart y controlarlo desde el móvil a través de la aplicación SMART LIFE, también compatible con el control por voz de Alexa Echo Plus; para otras versiones se necesita un puente (Gateway). También se podrá controlar la luminaria desde un pulsador haciéndole llegar un cable extra a la luminaria. Se necesita un receptor por luminaria y se pueden controlar de forma conjunta.</i></p>

*The prices include installation and setting. These items are not sold separated, only installed. Los precios incluyen instalación y configuración. Estos componentes se venden exclusivamente instalados, en ningún caso por separado.

ACCESSORIES ACCESORIOS

PENDANT KIT	SIZE (m)	FINISH	CODE	
	1.5m	○	81CON3453B	
		●	81CON3453N	
		●	81CON3453OT	
	3m	○	81CON34531B	
		●	81CON34531N	
		●	81CON34531OT	
	3m	○	81FLO224T3CTB	
		●	81FLO224T3CTN	
		●	81FLO224T3CTOT	
	1.5m	○	81CON3453BDP	DALI/PUSH
		●	81CON3453NDP	
		●	81CON3453OTDP	
	3m	○	81CON34532BDP	DALI/PUSH
		●	81CON34532NDP	
		●	81CON34532OTDP	
	3m	○	81FLO224T3CTBDP	DALI/PUSH
		●	81FLO224T3CTNDP	
		●	81FLO224T3CTOTDP	
MOTION SENSOR				
	<p>Hold Time/Tiempo de espera: 5s/30s/90s/3min/20min/30min Sensing Range/Rango de detección: 100%/75%/50%/25% Daylight Sensor/Sensor de luz diurna: Disable/50Lux/30Lux/10Lux/2Lux Mounting Height/Altura de montaje: Ceiling Mounting:3-6m Detection Area/Área de detección: Walking 0.5-1m/s keep walking≥2m walk & stop≥5m Stand-by Power/Energía de reserva: ≤ 0.5W</p>			
EMERGENCY KIT				
	<p>Emergency Kit: time 1 hour or 3h, please consult. Kit de emergencia: tiempo 1 hora y 3 horas, consultar.</p>			
RAL COLOURS				
	<p>Customised items in RAL colours, for MOQ of 25 units (please consult). Productos personalizables en colores RAL, para cantidades mínimas de 25 unidades (consultar).</p>			
OPTION SHADES / OPCIÓN DE PANTALLAS				
			<p>Customised shades in colour, fabric and shape for MOQ of 25 units (please consult) Pantallas personalizables tanto en color, material y forma para cantidades mínimas de 25 unidades (consultar)</p>	

A		
ALISO	PRODUCTO DE TECHO	68-69
B		
BORNEO	COLECCIONES	107-108
BORNEO	COLECCIONES	107-108
C		
CAIRO	ESPEJOS	31
CALMA	APLIQUES	21
CLIP	COLECCIONES	106-108
CUSTO	COLECCIONES	86-87
D		
DAMA	COLECCIONES	88-89
DILGA	PRODUCTO DE TECHO	66-67 & 74-75
DORIS	APLIQUES	16
E		
EKIL	COLECCIONES	103
ETHAN	BAÑO	24
F		
FARO	PRODUCTO DE TECHO	83-84
FLEXIA	COLECCIONES	90
FOSCA	APLIQUES	12 y 13
G		
GINA	APLIQUES	19
GINA	TÉCNICO	40-41
GRACE	PRODUCTO DE TECHO	70-73
H		
HALO	APLIQUES	9
HALO	COLECCIONES	92-95
I		
IMAX	PRODUCTO DE TECHO	78-79
INDA	COLECCIONES	91
ISIA	PRODUCTO DE TECHO	58-65
K		
KENDRA	TÉCNICO	48
KOE	PRODUCTO DE TECHO	80-81
L		
LIKE	COLECCIONES	102

LINUS	TÉCNICO	50
LISBOA	PRODUCTO DE TECHO	76-77
LUXUR	APLIQUES	15
M		
MAKO	TÉCNICO	49
MARINA	COLECCIONES	100-101
MAUI	COLECCIONES	98-99
MIRTA	APLIQUES	17
MIRTA	COLECCIONES	96-97
MORGAN	TÉCNICO	46-47
MULTI OPTION MIRROR	ESPEJOS	34
N		
NEMO	EXTERIOR	112
NORI	EXTERIOR	110-111
O		
ONIX	ESPEJOS	28-29
ORIS	APLIQUES	14
P		
PANAU	COLECCIONES	104-105
R		
RINGO	APLIQUES	8
ROBIN	APLIQUES	11
RONIE	TÉCNICO	51
S		
SENDA	APLIQUES	20
SPECTRA	TÉCNICO	53
SYLVANA	APLIQUES	18
T		
TANGO	TÉCNICO	52
TAVI	BAÑO	23
TESLA	BAÑO	25
U		
UPPER	ESPEJOS	30
V		
VARALI	APLIQUES	10
Z		
ZOOM	TÉCNICO	42-45

6BOMB048	BULB	113	A38130B	GINA	19	A38130B	LINUS	50
6BOMB049	BULB	113	A38130B	SENDA	20	A38130B	LINUS	50
81CON34531B	PENDANT KIT	119	A38130B	SENDA	20	A38130B	RONIE	51
81CON34531N	PENDANT KIT	119	A38130B	CALMA	21	A38130B	RONIE	51
81CON34531OT	PENDANT KIT	119	A38130B	CALMA	21	A38130B	TANGO	52
81CON34532BDP	PENDANT KIT	119	A38130B	TAVI	23	A38130B	TANGO	52
81CON34532NDP	PENDANT KIT	119	A38130B	ETHAN	24	A38130B	SPECTRA	53
81CON34532OTDP	PENDANT KIT	119	A38130B	TESLA	25	A38130B	TRACK	54
81CON3453B	PENDANT KIT	119	A38130B	TESLA	25	A38130B	TRACK	54
81CON3453BDP	PENDANT KIT	119	A38130B	ONIX	28-29	A38130B	TRACK	54
81CON3453N	PENDANT KIT	119	A38130B	ONIX	28-29	A38130B	TRACK	54
81CON3453NDP	PENDANT KIT	119	A38130B	UPPER	30	A38130B	TRACK	54
81CON3453OT	PENDANT KIT	119	A38130B	UPPER	30	A38130B	TRACK	54
81CON3453OTDP	PENDANT KIT	119	A38130B	UPPER	30	A38130B	TRACK	54
81CON38514B	PENDANT KIT	76-77	A38130B	UPPER	30	A38130B	TRACK	54
81CON38516B	PENDANT KIT	76-77	A38130B	CAIRO	31	A38130B	TRACK	54
81CON38518B	PENDANT KIT	76-77	A38130B	MULTI OPTION MIRROR	34	A38130B	TRACK	54
81FLO224T3CTB	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
81FLO224T3CTBDP	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
81FLO224T3CTN	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
81FLO224T3CTNDP	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
81FLO224T3CTOT	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
81FLO224T3CTOTDP	PENDANT KIT	119	A38130B	GINA	40-41	A38130B	TRACK	54
A20441GR	NORI	110-111	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A20442GR	NORI	110-111	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A30550B	MIRTA	96-97	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A30550PI	MIRTA	96-97	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A36600B	PANAU	104-105	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A36600NS	PANAU	104-105	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	RINGO	8	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	RINGO	8	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	HALO	9	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	VARALI	10	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	VARALI	10	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	VARALI	10	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	VARALI	10	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	ROBIN	11	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	ROBIN	11	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	ROBIN	11	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	FOSCA	12 y 13	A38130B	ZOOM	42-45	A38130B	ISIA	58-65
A38130B	FOSCA	12 y 13	A38130B	MORGAN	46	A38130B	ISIA	58-65
A38130B	FOSCA	12 y 13	A38130B	MORGAN	46	A38130B	ISIA	58-65
A38130B	FOSCA	12 y 13	A38130B	MORGAN	47	A38130B	ISIA	58-65
A38130B	ORIS	14	A38130B	MORGAN	47	A38130B	ISIA	58-65
A38130B	LUXUR	15	A38130B	KENDRA	48	A38130B	ISIA	58-65
A38130B	DORIS	16	A38130B	KENDRA	48	A38130B	ISIA	58-65
A38130B	MIRTA	17	A38130B	MAKO	49	A38130B	ISIA	58-65
A38130B	MIRTA	17	A38130B	MAKO	49	A38130B	ISIA	58-65
A38130B	SYLVANA	18	A38130B	LINUS	50	A38130B	ISIA	58-65
A38130B	GINA	19	A38130B	LINUS	50	A38130B	ISIA	58-65

C384830B	GRACE	70-73	E345361OTDP	ISIA	58-65	P385140BDP	LISBOA	76-77
C384830BDP	GRACE	70-73	E345361OTDT	ISIA	58-65	P385140BDT	LISBOA	76-77
C384830BDT	GRACE	70-73	H30541B	MIRTA	96-97	P385141B	LISBOA	76-77
C384840B	GRACE	70-73	H30541PI	MIRTA	96-97	P385141BDP	LISBOA	76-77
C384840BDP	GRACE	70-73	H36600B	PANAU	104-105	P385141BDT	LISBOA	76-77
C384840BDT	GRACE	70-73	H36600NS	PANAU	104-105	P385160B	LISBOA	76-77
C38551B	INDA	91	H816310	MAUI	98-99	P385160BDP	LISBOA	76-77
C38551N	INDA	91	H8178N	CLIP	106-108	P385160BDT	LISBOA	76-77
C816310	MAUI	98-99	H8179N	BORNEO	107-108	P385161B	LISBOA	76-77
C816340	MAUI	98-99	P2044GR	NORI	110-111	P385161BDP	LISBOA	76-77
C816350	MAUI	98-99	P345010B	DILGA	66-67	P385161BDT	LISBOA	76-77
C8177B	DAMA	88-89	P345010BDP	DILGA	66-67	P385180B	LISBOA	76-77
C8177BGR	DAMA	88-89	P345010BDT	DILGA	66-67	P385180BDP	LISBOA	76-77
C81770TVE	DAMA	88-89	P345010N	DILGA	66-67	P385180BDT	LISBOA	76-77
E204710IN	NEMO	112	P345010NDP	DILGA	66-67	P385181B	LISBOA	76-77
E345340B	ISIA	58-65	P345010NDT	DILGA	66-67	P385181BDP	LISBOA	76-77
E345340BDP	ISIA	58-65	P345020B	DILGA	66-67	P385181BDT	LISBOA	76-77
E345340BDT	ISIA	58-65	P345020BDP	DILGA	66-67	P385243B	KOE	80-81
E345340N	ISIA	58-65	P345020BDT	DILGA	66-67	P385263B	KOE	80-82
E345340NDP	ISIA	58-65	P345020N	DILGA	66-67	S30540B	MIRTA	96-97
E345340NDT	ISIA	58-65	P345020NDP	DILGA	66-67	S30540PI	MIRTA	96-97
E345340OT	ISIA	58-65	P345020NDT	DILGA	66-67	S30541B	MIRTA	96-97
E345340OTDP	ISIA	58-65	P345040B	DILGA	66-67	S30541PI	MIRTA	96-97
E345340OTDT	ISIA	58-65	P345040BDP	DILGA	66-67	S30542B	MIRTA	96-97
E345341B	ISIA	58-65	P345040BDT	DILGA	66-67	S30542PI	MIRTA	96-97
E345341BDP	ISIA	58-65	P345040N	DILGA	66-67	S36600B	PANAU	104-105
E345341BDT	ISIA	58-65	P345040NDP	DILGA	66-67	S36600NS	PANAU	104-105
E345341N	ISIA	58-65	P345040NDT	DILGA	66-67	S3815100	HALO	92-95
E345341NDP	ISIA	58-65	P374220B	ALISO	68-69	S816310	MAUI	98-99
E345341NDT	ISIA	58-65	P374270B	ALISO	68-69	S8175B	FLEXIA	90
E345341OT	ISIA	58-65	P374290B	ALISO	68-69	S8175BGR	FLEXIA	90
E345341OTDP	ISIA	58-65	P382363B	IMAX	78-79	S81750TVE	FLEXIA	90
E345341OTDT	ISIA	58-65	P382363N	IMAX	78-79	S81761B	LIKE	102
E345360B	ISIA	58-65	P382393B	IMAX	78-79	S8178N	CLIP	106-108
E345360BDP	ISIA	58-65	P382393N	IMAX	78-79	S8179N	BORNEO	107-108
E345360BDT	ISIA	58-65	P384111B	FARO	83-84	S81831B	EKIL	103
E345360N	ISIA	58-65	P384111BN	FARO	83-84	S81831N	EKIL	103
E345360NDP	ISIA	58-65	P384121B	FARO	83-84	XCONTROL001	SMART	118
E345360NDT	ISIA	58-65	P384121BN	FARO	83-84	XCONTROL002	SMART	118
E345360OT	ISIA	58-65	P384810B	GRACE	70-73	XDRVPART003	SMART	118
E345360OTDP	ISIA	58-65	P384810BDP	GRACE	70-73	XDRVPART004	SMART	118
E345360OTDT	ISIA	58-65	P384810BDT	GRACE	70-73	XDRVPART008	SMART	118
E345361B	ISIA	58-65	P384820B	GRACE	70-73	XDRVPART008	SMART	118
E345361BDP	ISIA	58-65	P384820BDP	GRACE	70-73	XDRVPART010	SMART	118
E345361BDT	ISIA	58-65	P384820BDT	GRACE	70-73			
E345361N	ISIA	58-65	P384830B	GRACE	70-73			
E345361NDP	ISIA	58-65	P384830BDP	GRACE	70-73			
E345361NDT	ISIA	58-65	P384830BDT	GRACE	70-73			
E345361OT	ISIA	58-65	P385140B	LISBOA	76-77			



Your Lighting Company



Your Lighting Company

Toda la información en este catálogo sirve simplemente como una indicación y no es vinculante para la empresa. La empresa se reserva el derecho de modificar o variar los productos para mejoras técnicas o estéticas sin previo aviso. Las marcas y los logotipos pertenecen a sus legítimos propietarios.

Tutte le informazioni presenti in questo catalogo sono soltanto indicative e non sono vincolanti per l'azienda. La società si riserva il diritto di modificare o effettuare variazioni sui prodotti per miglioramenti tecnici o estetici senza preavviso. I marchi e i loghi appartengono ai legittimi proprietari.

All information in this catalogue merely serves as an indication and it is not binding for the company. The company reserves the right to modify any contents or information, even without prior notice. Brand names and logos belong to their legitimate owners.

Toutes les informations contenues dans ces catalogues ont une valeur indicative, et ne s'entendent pas contraignantes pour l'entreprise. La société se réserve le droit de modifier tout contenu ou information, en y apportant des améliorations techniques et visuelles, y compris sans communication préalable. Les marques et logos sont propriété de leurs dépositaires légitimes.

Alle Angaben in diesem Katalog dienen lediglich als Hinweis und sind für das Unternehmen nicht verbindlich. Das Unternehmen behält sich das Recht vor, Inhalte oder Informationen auch ohne vorherige Ankündigung zu ändern, um technische oder ästhetische Verbesserungen zu erreichen. Markennamen und Logos gehören ihren rechtmäßigen Eigentümern.

Los diseños que contiene este catálogo de la empresa española con CIF B96498233, estan registrados y protegidos por la Ley de Protección de Diseño Industrial. All designs included in this catalogue from the Spanish Company with CIF B96498233, being registered and protected by the Industrial Design Protection Law.

© Copyright. 2020 CIF B96498233

NACIONAL:

Telf. +34 962 779 021

Fax: +34 961 653 370

comercial@acbiluminacion.com

EXPORT:

Telf. +34 962 779 166

Fax: +34 961 633 370

export@acbiluminacion.com

EXPORT ITALIA:

Telf. +39 02 82940900

acb.italia@acbiluminacion.com

ACB

Camino de Valencia 104, CP.46190
Ribarroja del Turia (Valencia) Spain

www.acbiluminacion.com